## **County Distribution of Wisconsin's Federally**

Threatened, Endangered, Proposed, and Candidate Species
For more information about threatened and endangered species in Wisconsin, please contact:
U.S. Fish and Wildlife Service, 2661 Scott Tower Drive, New Franken, WI 54229 Phone: (920) 866-1717

| County   | Species  | Status                                      | Habitat  |
|----------|--|---|--|
| Adams    | Gray wolf<br>(Canis Lupus)                         | Threatened                                  | Northern and central forested areas  |
|          | Bald eagle<br>(Haliaeetus leucocephalus)           | Threatened                                  | Breeding and Wintering   |
|          | Whooping crane<br>(Grus americanus)                | Non-essential<br>Experimental<br>Population | Open wetlands and lakeshores   |
|          | Karner blue butterfly (Lycaeides melissa samuelis) | Endangered                                  | Prairie, oak savanna, and jack pine areas with wild lupine   |
| Ashland  | Canada lynx<br>(Lynx canadensis)                   | Threatened                                  | While no resident populations are known from Wisconsin, the species occasionally occurs in northern forested areas, and counties listed are those with the highest likelihood of occurrence. |
|          | Gray wolf<br>(Canis lupus)                         | Threatened                                  | Northern and central forested areas  |
|          | Bald eagle<br>(Haliaeetus leucocephalus)           | Threatened                                  | Breeding   |
|          | Piping plover (Charadrius melodus)                 | Endangered                                  | Sandy beaches; bare alluvial and dredge spoil islands  |
|          | Piping plover (Charadrius melodus)                 | Critical<br>Habitat<br>Designated           |  |
| Barron   | Gray wolf<br>(Canis lupus)                         | Threatened                                  | Northern and central forested areas  |
|          | Bald eagle<br>(Haliaeetus leucocephalus)           | Threatened                                  | Breeding   |
|          | Karner blue butterfly (Lycaeides melissa samuelis) | Endangered                                  | Prairie, oak savanna, and jack pine areas with wild lupine   |
| Bayfield | Canada lynx<br>(Lynx canadensis)                   | Threatened                                  | While no resident populations are known from Wisconsin, the species occasionally occurs in northern forested areas, and counties listed are those with the highest likelihood of occurrence. |
|          | Gray wolf<br>(Canis lupus)                         | Threatened                                  | Northern and central forested areas  |
|          | Bald eagle<br>(Haliaeetus leucocephalus)           | Threatened                                  | Breeding   |

| County                  | Species  | Status                                      | Habitat  |
|-------------------------|--|---|--|
| Bayfield<br>(continued) | Fassett's locoweed (Oxytropis campestris var. chartacea) | Threatened                                  | Open sandy lakeshore   |
| Brown                   | Bald eagle<br>(Haliaeetus leucocephalus)                 | Threatened                                  | Breeding and Wintering   |
|                         | Dwarf lake iris (Iris lacustris)                         | Threatened                                  | Partially shaded sandy-gravelly soils on lakeshores  |
| Buffalo                 | Bald eagle (Haliaeetus leucocephalus)                    | Threatened                                  | Breeding and Wintering   |
|                         | Eastern massasauga (Sistrurus catenatus catenatus)       | Candidate                                   | Open to forested wetlands and adjacent uplands   |
|                         | Higgins' eye pearly mussel (Lampsilis Higginsi)          | Endangered                                  | Mississippi River  |
|                         | Sheepnose<br>(Plethobasus cyphyus)                       | Candidate                                   | Chippewa River   |
| Burnett                 | Canada lynx<br>(Lynx canadensis)                         | Threatened                                  | While no resident populations are known from Wisconsin, the species occasionally occurs in northern forested areas, and counties listed are those with the highest likelihood of occurrence. |
|                         | Gray wolf<br>(Canis lupus)                               | Threatened                                  | Northern and central forested areas  |
|                         | Bald eagle (Haliaeetus leucocephalus)                    | Threatened                                  | Breeding   |
|                         | Spectaclecase<br>(Cumberlandia monodonta)                | Candidate                                   | St. Croix River  |
|                         | Karner blue butterfly (Lycaeides melissa samuelis)       | Endangered                                  | Prairie, oak savanna, and jack pine areas with wild lupine   |
| Calumet                 | Bald eagle<br>(Haliaeetus leucocephalus)                 | Threatened                                  | Wintering  |
| Chippewa                | Bald eagle<br>(Haliaeetus leucocephalus)                 | Threatened                                  | Breeding   |
|                         | Spectaclecase<br>(Cumberlandia monodonta)                | Candidate                                   | Chippewa River   |
|                         | Karner blue butterfly (Lycaeides melissa samuelis)       | Endangered                                  | Prairie, oak savanna, and jack pine areas with wild lupine   |
| Clark                   | Gray wolf<br>(Canis lupus)                               | Threatened                                  | Northern and central forested areas  |
|                         | Bald eagle<br>(Haliaeetus leucocephalus)                 | Threatened                                  | Breeding   |
|                         | Whooping crane<br>(Grus americanus)                      | Non-essential<br>Experimental<br>Population | Open wetlands and lakeshores   |
|                         | Eastern massasauga (Sistrurus catenatus catenatus)       | Candidate                                   | Open to forested wetlands and adjacent uplands   |

| County   | Species   | Status                                      | Habitat   |
|----------|---|---|---|
|          | Karner blue butterfly (Lycaeides melissa samuelis)      | Endangered                                  | Prairie, oak savanna, and jack pine areas with wild lupine          |
| Columbia | Bald eagle<br>(Haliaeetus leucocephalus)                | Threatened                                  | Breeding and Wintering  |
|          | Whooping crane<br>(Grus americanus)                     | Non-essential<br>Experimental<br>Population | Open wetlands and lakeshores  |
|          | Eastern massasauga (Sistrurus catenatus catenatus)      | Candidate                                   | Open to forested wetlands and adjacent uplands                      |
|          | Sheepnose<br>(Plethobasus cyphyus)                      | Candidate                                   | Wisconsin River   |
| Crawford | Bald eagle<br>(Haliaeetus leucocephalus)                | Threatened                                  | Breeding and Wintering  |
|          | Whooping crane<br>(Grus americanus)                     | Non-essential<br>Experimental<br>Population | Open wetlands and lakeshores  |
|          | Eastern massasauga (Sistrurus catenatus catenatus)      | Candidate                                   | Open to forested wetlands and adjacent uplands                      |
|          | Higgins' eye pearly mussel (Lampsilis Higginsi)         | Endangered                                  | Mississippi River   |
|          | Sheepnose<br>(Plethobasus cyphyus)                      | Candidate                                   | Mississippi River   |
| Dane     | Bald eagle<br>(Haliaeetus leucocephalus)                | Threatened                                  | Breeding and Wintering  |
|          | Whooping crane<br>(Grus americanus)                     | Non-essential<br>Experimental<br>Population | Open wetlands and lakeshores  |
|          | Higgins' eye pearly mussel (Lampsilis Higginsi)         | Endangered                                  | Lower Wisconsin River   |
|          | Eastern prairie fringed orchid (Platanthera leucophaea) | Threatened                                  | Wet grasslands  |
|          | Prairie bush-clover (Lespedeza leptostachya)            | Threatened                                  | Dry to mesic prairies with gravelly soil                            |
| Dodge    | Bald eagle<br>(Haliaeetus leucocephalus)                | Threatened                                  | Breeding  |
|          | Whooping crane<br>(Grus americanus)                     | Non-essential<br>Experimental<br>Population | Open wetlands and lakeshores  |
| Door     | Bald eagle<br>(Haliaeetus leucocephalus)                | Threatened                                  | Breeding  |
|          | Hine's emerald dragonfly (Somatochlora hineana)         | Endangered                                  | Calcareous streams & associated wetlands overlying dolomite bedrock |
|          | Pitcher's thistle (Cirsium pitcheri)                    | Threatened                                  | Stabilized dunes, and blowout areas                                 |

| County      | Species  | Status                                      | Habitat  |
|-------------|--|---|--|
|             | Dwarf lake iris<br>(Iris lacustris)                | Threatened                                  | Partially shaded sandy-gravelly soils on lakeshores  |
| Douglas     | Canada lynx<br>(Lynx canadensis)                   | Threatened                                  | While no resident populations are known from Wisconsin, the species occasionally occurs in northern forested areas, and counties listed are those with the highest likelihood of occurrence. |
|             | Gray wolf<br>(Canis lupus)                         | Threatened                                  | Northern and central forested areas  |
|             | Bald eagle<br>(Haliaeetus leucocephalus)           | Threatened                                  | Breeding   |
|             | Kirtland's warbler<br>(Dendroica kirtlandii)       | Endangered                                  | Potential breeding in jack pine  |
|             | Piping plover (Charadrius melodus)                 | Endangered                                  | Sandy beaches; bare alluvial and dredge spoil islands  |
|             | Piping plover (Charadrius melodus)                 | Critical<br>Habitat<br>Designated           |  |
| Dunn        | Bald eagle<br>(Haliaeetus leucocephalus)           | Threatened                                  | Breeding   |
|             | Karner blue butterfly (Lycaeides melissa samuelis) | Endangered                                  | Prairie, oak savanna, and jack pine areas with wild lupine   |
|             | Sheepnose (Plethobasus cyphyus)                    | Candidate                                   | Chippewa River   |
| Eau Claire  | Gray wolf<br>(Canis lupus)                         | Threatened                                  | Northern and central forested areas  |
|             | Bald eagle<br>(Haliaeetus leucocephalus)           | Threatened                                  | Breeding and Wintering   |
|             | Karner blue butterfly Lycaeides melissa samuelis)  | Endangered                                  | Prairie, oak savanna, and jack pine areas with wild lupine   |
|             | Sheepnose (Plethobasus cyphyus)                    | Candidate                                   | Chippewa River   |
| Florence    | Canada lynx<br>(Lynx canadensis)                   | Threatened                                  | While no resident populations are known from Wisconsin, the species occasionally occurs in northern forested areas, and counties listed are those with the highest likelihood of occurrence. |
|             | Bald eagle<br>(Haliaeetus leucocephalus)           | Threatened                                  | Breeding   |
|             | Gray wolf<br>(Canis lupus)                         | Threatened                                  | Northern and central forested areas  |
| Fond du Lac | Whooping crane<br>(Grus americanus)                | Non-essential<br>Experimental<br>Population | Open wetlands and lakeshores   |

| County     | Species   | Status                                      | Habitat  |
|------------|---|---|--|
| Forest     | Canada lynx<br>(Lynx canadensis)                  | Threatened                                  | While no resident populations are known from Wisconsin, the species occasionally occurs in northern forested areas, and counties listed are those with the highest likelihood of occurrence. |
|            | Gray wolf<br>(Canis lupus)                        | Threatened                                  | Northern and central forested areas  |
|            | Bald eagle<br>(Haliaeetus leucocephalus)          | Threatened                                  | Breeding   |
| Grant      | Bald eagle<br>(Haliaeetus leucocephalus)          | Threatened                                  | Breeding and Wintering   |
|            | Higgins' eye pearly mussel (Lampsilis Higginsi)   | Endangered                                  | Lower Wisconsin and Mississippi Rivers   |
|            | Northern monkshood (Aconitum noveboracense)       | Threatened                                  | North facing slopes  |
|            | Prairie bush-clover (Lespedeza leptostachya)      | Threatened                                  | Dry to mesic prairies, with gravelly soil  |
| Green      | Whooping crane<br>(Grus americanus)               | Non-essential<br>Experimental<br>Population | Open wetlands and lakeshores   |
| Green Lake | Bald eagle<br>(Haliaeetus leucocephalus)          | Threatened                                  | Breeding   |
|            | Whooping crane<br>(Grus americanus)               | Non-essential<br>Experimental<br>Population | Open wetlands and lakeshores   |
|            | Karner blue butterfly Lycaeides melissa samuelis) | Endangered                                  | Prairie, oak savanna, and jack pine areas with wild lupine   |
| lowa       | Bald eagle<br>(Haliaeetus leucocephalus)          | Threatened                                  | Breeding and Wintering   |
|            | Whooping crane<br>(Grus americanus)               | Non-essential<br>Experimental<br>Population | Open wetlands and lakeshores   |
|            | Higgins' eye pearly mussel (Lampsilis Higginsi)   | Endangered                                  | Lower Wisconsin Rivers   |
|            | Sheepnose (Plethobasus cyphyus)                   | Candidate                                   | Wisconsin River  |
| Iron       | Canada lynx<br>(Lynx canadensis)                  | Threatened                                  | While no resident populations are known from Wisconsin, the species occasionally occurs in northern forested areas, and counties listed are those with the highest likelihood of occurrence. |
|            | Gray wolf<br>(Canis lupus)                        | Threatened                                  | Northern and central forested areas  |
|            | Bald eagle<br>(Haliaeetus leucocephalus)          | Threatened                                  | Breeding   |

| County    | Species   | Status                                      | Habitat   |
|-----------|---|---|---|
| Jackson   | Gray wolf<br>(Canis lupus)                              | Threatened                                  | Northern and central forested areas                                 |
|           | Bald eagle<br>(Haliaeetus leucocephalus)                | Threatened                                  | Breeding  |
|           | Kirtland's warbler (Dendroica kirtlandii)               | Endangered                                  | Potential breeding in jack pine                                     |
|           | Whooping crane<br>(Grus americanus)                     | Non-essential<br>Experimental<br>Population | Open wetlands and lakeshores  |
|           | Eastern massasauga (Sistrurus catenatus catenatus)      | Candidate                                   | Open to forested wetlands and adjacent uplands                      |
|           | Karner blue butterfly (Lycaeides melissa samuelis)      | Endangered                                  | Prairie, oak savanna, and jack pine areas with wild lupine          |
| Jefferson | Eastern prairie fringed orchid (Platanthera leucophaea) | Threatened                                  | Wet grasslands  |
|           | Whooping crane<br>(Grus americanus)                     | Non-essential<br>Experimental<br>Population | Wetlands and lakeshores   |
| Juneau    | Gray wolf<br>(Canis lupus)                              | Threatened                                  | Northern and central forested areas                                 |
|           | Bald eagle<br>(Haliaeetus leucocephalus)                | Threatened                                  | Breeding and Wintering  |
|           | Whooping crane<br>(Grus americanus)                     | Non-essential<br>Experimental<br>Population | Open wetlands and lakeshores  |
|           | Eastern massasauga (Sistrurus catenatus)                | Candidate                                   | Open to forested wetlands and adjacent uplands                      |
|           | Karner blue butterfly (Lycaeides melissa samuelis)      | Endangered                                  | Prairie, oak savanna, and jack pine areas with wild lupine          |
| Kenosha   | Eastern prairie fringed orchid (Platanthera leucophaea) | Threatened                                  | Wet grasslands  |
| Kewaunee  | Hine's emerald dragonfly (Somatochlora hineana)         | Endangered                                  | Calcareous streams & associated wetlands overlying dolomite bedrock |
| La Crosse | Bald eagle<br>(Haliaeetus leucocephalus)                | Threatened                                  | Breeding and Wintering  |
|           | Eastern massasauga (Sistrurus catenatus catenatus)      | Candidate                                   | Open to forested wetlands and adjacent uplands                      |
|           | Higgins' eye pearly mussel (Lampsilis Higginsi)         | Endangered                                  | Mississippi River   |
| Langlade  | Gray wort<br>(Canis lupus)                              | rnreatened                                  | Northern and central forested areas                                 |
|           | Bald eagle<br>(Haliaeetus leucocephalus)                | Threatened                                  | Breeding  |

| County    | Species  | Status                                      | Habitat  |
|-----------|--|---|--|
| Lincoln   | Gray wolf<br>(Canis lupus)                         | Threatened                                  | Northern and central forested areas  |
|           | Bald eagle<br>(Haliaeetus leucocephalus)           | Threatened                                  | Breeding   |
| Manitowoc | Bald eagle<br>(Haliaeetus leucocephalus)           | Threatened                                  | Breeding   |
|           | Pitcher's thistle<br>(Cirsium pitcheri)            | Threatened                                  | Stabilized dunes, and blowout areas  |
|           | Piping plover (Charadrius melodus)                 | Critical<br>Habitat<br>Designated           |  |
| Marathon  | Bald eagle<br>(Haliaeetus leucocephalus)           | Threatened                                  | Breeding   |
| Marinette | Canada lynx<br>(Lynx canadensis)                   | Threatened                                  | While no resident populations are known from Wisconsin, the species occasionally occurs in northern forested areas, and counties listed are those with the highest likelihood of occurrence. |
|           | Bald eagle<br>(Haliaeetus leucocephalus)           | Threatened                                  | Breeding   |
|           | Kirtland's warbler (Dendroica kirtlandii)          | Endangered                                  | Potential breeding in jack pine  |
|           | Piping plover (Charadrius melodus)                 | Critical<br>Habitat<br>Designated           |  |
| Marquette | Gray wolf<br>(Canis lupus)                         | Threatened                                  | Northern and central forested areas  |
|           | Bald eagle<br>(Haliaeetus leucocephalus)           | Threatened                                  | Breeding   |
|           | Karner blue butterfly (Lycaeides melissa samuelis) | Endangered                                  | Prairie, oak savanna, and jack pine areas with wild lupine   |
| Menominee | Bald eagle<br>(Haliaeetus leucocephalus)           | Threatened                                  | Breeding   |
|           | Karner blue butterfly (Lycaeides melissa samuelis) | Endangered                                  | Prairie, oak savanna, and jack pine areas with wild lupine   |
| Monroe    | Gray wolf<br>(Canis lupus)                         | Threatened                                  | Northern and central forested areas  |
|           | Whooping crane<br>(Grus americanus)                | Non-essential<br>Experimental<br>Population | Open wetlands and lakeshores   |
|           | Eastern massasauga (Sistrurus catenatus catenatus) | Candidate                                   | Open to forested wetlands and adjacent uplands   |
|           | Karner blue butterfly (Lycaeides melissa samuelis) | Endangered                                  | Prairie, oak savanna, and jack pine areas with wild lupine   |

| County    | Species   | Status                                      | Habitat  |
|-----------|---|---|--|
|           | Northern monkshood (Aconitum noveboracense)             | Threatened                                  | North facing slopes  |
| Oconto    | Gray wolf<br>(Canis lupus)                              | Threatened                                  | Northern and central forested areas  |
|           | Bald eagle<br>(Haliaeetus leucocephalus)                | Threatened                                  | Breeding   |
|           | Whooping crane<br>(Grus americanus)                     | Non-essential<br>Experimental<br>Population | Open wetlands and lakeshores   |
|           | Karner blue butterfly (Lycaeides melissa samuelis)      | Endangered                                  | Prairie, oak savanna, and jack pine areas with wild lupine   |
| Oneida    | Canada lynx<br>(Lynx canadensis)                        | Threatened                                  | While no resident populations are known from Wisconsin, the species occasionally occurs in northern forested areas, and counties listed are those with the highest likelihood of occurrence. |
|           | Gray wolf<br>(Canis lupus)                              | Threatened                                  | Northern and central forested areas  |
|           | Bald eagle<br>(Haliaeetus leucocephalus)                | Threatened                                  | Breeding   |
| Outagamie | Bald eagle<br>(Haliaeetus leucocephalus)                | Threatened                                  | Breeding   |
|           | Karner blue butterfly (Lycaeides melissa samuelis)      | Endangered                                  | Prairie, oak savanna, and jack pine areas with wild lupine   |
| Ozaukee   | Hine's emerald dragonfly (Somatochlora hineana)         | Endangered                                  | Calcareous streams & associated wetlands overlying dolomite bedrock  |
|           | Eastern prairie fringed orchid (Platanthera leucophaea) | Threatened                                  | Wet grasslands   |
| Pepin     | Bald eagle<br>(Haliaeetus leucocephalus)                | Threatened                                  | Breeding and Wintering   |
|           | Eastern massasauga (Sistrurus catenatus catenatus)      | Candidate                                   | Open to forested wetlands and adjacent uplands   |
|           | Sheepnose<br>(Plethobasus cyphyus)                      | Candidate                                   | Mississippi River  |
| Pierce    | Bald eagle<br>(Haliaeetus leucocephalus)                | Threatened                                  | Breeding and Wintering   |
|           | Higgins' eye pearly mussel (Lampsilis Higginsi)         | Endangered                                  | Mississippi and St. Croix Rivers   |
|           | Sheepnose (Plethobasus cyphyus)                         | Candidate                                   | St. Croix River  |
|           | Prairie bush-clover (Lespedeza leptostachya)            | Threatened                                  | Dry to mesic prairies with gravelly soil   |
| Polk      | Gray wolf<br>(Canis lupus)                              | Threatened                                  | Northern and central forested areas  |

| County   | Species  | Status                                      | Habitat  |
|----------|--|---|--|
|          | Bald eagle<br>(Haliaeetus leucocephalus)                 | Threatened                                  | Breeding and Wintering   |
|          | Karner blue butterfly (Lycaeides melissa samuelis)       | Endangered                                  | Prairie, oak savanna, and jack pine areas with wild lupine   |
|          | Higgins' eye pearly mussel (Lampsilis Higginsi)          | Endangered                                  | St. Croix River  |
|          | Spectaclecase<br>(Cumberlandia monodonta)                | Candidate                                   | St. Croix River  |
|          | Winged mapleleaf mussel (Quadrula fragosa)               | Endangered                                  | St. Croix River  |
| Portage  | Bald eagle<br>(Haliaeetus leucocephalus)                 | Threatened                                  | Breeding   |
|          | Karner blue butterfly (Lycaeides melissa samuelis)       | Endangered                                  | Prairie, oak savanna, and jack pine areas with wild lupine   |
|          | Fassett's locoweed (Oxytropis campestris var. chartacea) | Threatened                                  | Open sandy lakeshores  |
| Price    | Canada lynx<br>(Lynx canadensis)                         | Threatened                                  | While no resident populations are known from Wisconsin, the species occasionally occurs in northern forested areas, and counties listed are those with the highest likelihood of occurrence. |
|          | Gray wolf<br>(Canis lupus)                               | Threatened                                  | Northern and central forested areas  |
|          | Bald eagle<br>(Haliaeetus leucocephalus)                 | Threatened                                  | Breeding   |
| Richland | Bald eagle<br>(Haliaeetus leucocephalus)                 | Threatened                                  | Breeding   |
|          | Higgins' eye pearly mussel (Lampsilis Higginsi)          | Endangered                                  | Lower Wisconsin River  |
|          | Sheepnose<br>(Plethobasus cyphyus)                       | Candidate                                   | Wisconsin River  |
|          | Northern monkshood (Aconitum noveboracense)              | Threatened                                  | North facing slopes  |
| Rock     | Whooping crane<br>(Grus americanus)                      | Non-essential<br>Experimental<br>Population | Open wetlands and lakeshores   |
|          | Eastern massasauga (Sistrurus catenatus)                 | Candidate                                   | Open to forested wetlands and adjacent uplands   |
|          | Eastern prairie fringed orchid (Platanthera leucophaea)  | Threatened                                  | Wet grasslands   |
|          | Prairie bush-clover (Lespedeza leptostachya)             | Threatened                                  | Dry to mesic prairies with gravelly soil   |
| Rusk     | Gray wolf<br>(Canis lupus)                               | Threatened                                  | Northern and central forested areas  |

| County     | Species   | Status     | Habitat  |
|------------|---|------------|--|
|            | Bald eagle<br>(Haliaeetus leucocephalus)                | Threatened | Breeding   |
|            | Sheepnose<br>(Plethobasus cyphyus)                      | Candidate  | Chippewa River   |
| St. Croix  | Bald eagle<br>(Haliaeetus leucocephalus)                | Threatened | Breeding   |
|            | Karner blue butterfly (Lycaeides melissa samuelis)      | Endangered | Prairie, oak savanna, and jack pine areas with wild lupine   |
|            | Higgins' eye pearly mussel (Lampsilis Higginsi)         | Endangered | St. Croix River  |
|            | Spectaclecase<br>(Cumberlandia monodonta)               | Candidate  | St. Croix River  |
| Sauk       | Bald eagle<br>(Haliaeetus leucocephalus)                | Threatened | Breeding   |
|            | Higgins' eye pearly mussel (Lampsilis Higginsi)         | Endangered | Wisconsin River  |
|            | Sheepnose (Plethobasus cyphyus)                         | Candidate  | Wisconsin River  |
|            | Northern monkshood (Aconitum noveboracense)             | Threatened | North facing slopes  |
|            | Prairie bush-clover (Lespedeza leptostachya)            | Threatened | Dry to mesic prairies with gravelly soil   |
| Sawyer     | Canada lynx<br>(Lynx canadensis)                        | Threatened | While no resident populations are known from Wisconsin, the species occasionally occurs in northern forested areas, and counties listed are those with the highest likelihood of occurrence. |
|            | Gray wolf (Canis lupus)                                 | Threatened | Northern and central forested areas  |
|            | Bald eagle<br>(Haliaeetus leucocephalus)                | Threatened | Breeding   |
| Shawano    | Bald eagle<br>(Haliaeetus leucocephalus)                | Threatened | Breeding and Wintering   |
|            | Karner blue butterfly (Lycaeides melissa samuelis)      | Endangered | Prairie, oak savanna, and jack pine areas with wild lupine   |
| Sheboygan  | Eastern prairie fringed orchid (Platanthera leucophaea) | Threatened | Wet grasslands   |
|            | Pitcher's thistle (Cirsium pitcheri)                    | Threatened | Stabilized dunes, and blowout areas  |
| Taylor     | Gray wolf<br>(Canis lupus)                              | Threatened | Northern and central forested areas  |
|            | Bald eagle<br>(Haliaeetus leucocephalus)                | Threatened | Breeding and Wintering   |
| Trempeleau | Bald eagle<br>(Haliaeetus leucocephalus)                | Threatened | Wintering  |

| County   | Species   | Status     | Habitat  |
|----------|---|------------|--|
|          | Eastern massasauga (Sistrurus catenatus catenatus)      | Candidate  | Open to forested wetlands and adjacent uplands   |
|          | Higgins' eye pearly mussel (Lampsilis Higginsi)         | Endangered | Mississippi River  |
| Vernon   | Bald eagle<br>(Haliaeetus leucocephalus)                | Threatened | Breeding and Wintering   |
|          | Higgins' eye pearly mussel (Lampsilis Higginsi)         | Endangered | Mississippi River  |
|          | Northern monkshood (Aconitum noveboracense)             | Threatened | North facing slopes  |
| Vilas    | Canada lynx<br>(Lynx canadensis)                        | Threatened | While no resident populations are known from Wisconsin, the species occasionally occurs in northern forested areas, and counties listed are those with the highest likelihood of occurrence. |
|          | Gray wolf<br>(Canis lupus)                              | Threatened | Northern and central forested areas  |
|          | Bald eagle<br>(Haliaeetus leucocephalus)                | Threatened | Breeding   |
|          | Kirtland's warbler (Dendroica kirtlandii)               | Endangered | Potential breeding in jack pine  |
| Walworth | Eastern massasauga (Sistrurus catenatus catenatus)      | Candidate  | Open to forested wetlands and adjacent uplands   |
|          | Eastern prairie fringed orchid (Platanthera leucophaea) | Threatened | Wet grasslands   |
| Washburn | Canada lynx<br>(Lynx canadensis)                        | Threatened | While no resident populations are known from Wisconsin, the species occasionally occurs in northern forested areas, and counties listed are those with the highest likelihood of occurrence. |
|          | Gray wolf<br>(Canis lupus)                              | Threatened | Northern and central forested areas  |
|          | Bald eagle<br>(Haliaeetus leucocephalus)                | Threatened | Breeding   |
|          | Kirtland's warbler (Dendroica kirtlandii)               | Endangered | Potential breeding in jack pine  |
| Waukesha | Eastern prairie fringed orchid (Platanthera leucophaea) | Threatened | Wet grasslands   |
| Waupaca  | Bald eagle<br>(Haliaeetus leucocephalus)                | Threatened | Breeding and Wintering   |
|          | Karner blue butterfly (Lycaeides melissa samuelis)      | Endangered | Prairie, oak savanna, and jack pine areas with wild lupine   |
| Waushara | Bald eagle<br>(Haliaeetus leucocephalus)                | Threatened | Breeding   |

| County    | Species  | Status                                      | Habitat  |
|-----------|--|---|--|
|           | Karner blue butterfly (Lycaeides melissa samuelis)       | Endangered                                  | Prairie, oak savanna, and jack pine areas with wild lupine |
|           | Fassett's locoweed (Oxytropis campestris var. chartacea) | Threatened                                  | Open sandy lakeshores                                      |
| Winnebago | Bald eagle<br>(Haliaeetus leucocephalus)                 | Threatened                                  | Breeding and Wintering                                     |
|           | Whooping crane<br>(Grus americanus)                      | Non-essential<br>Experimental<br>Population | Open wetlands and lakeshores                               |
|           | Eastern prairie fringed orchid (Platanthera leucophaea)  | Threatened                                  | Wet grasslands   |
| Wood      | Gray wolf<br>(Canis lupus)                               | Threatened                                  | Northern and central forested areas                        |
|           | Bald eagle (Haliaeetus leucocephalus)                    | Threatened                                  | Breeding   |
|           | Whooping crane<br>(Grus americanus)                      | Non-essential<br>Experimental<br>Population | Open wetlands and lakeshores                               |
|           | Eastern massasauga (Sistrurus catenatus catenatus)       | Candidate                                   | Open to forested wetlands and adjacent uplands             |
|           | Karner blue butterfly (Lycaeides melissa samuelis)       | Endangered                                  | Prairie, oak savanna, and jack pine areas with wild lupine |

Revised May 2004